

TERRART[®] ECO 22

Terracotta Façades



NBK | ARCHITECTURAL
TERRACOTTA
A Hunter Douglas Company 

TERRART® ECO 22

TERRART® ECO 22 • A new lower cost addition to the NBK® Architectural Terracotta TERRART® Product Line.

TERRART® ECO 22 • A light-weight, fully functional rainscreen system for re-clad and new projects. ECO 22 is an economical solution for both small and large projects based on a standard 8" x 5'-0" module.

TERRART® ECO 22 • Fasteners are not visible on tile surfaces.


ALL TERRART®

• Products outperform other non-terracotta rainscreen façade products by its strength, non-color fading high UV light stability and long-term low-maintenance performance. Carefully selected clays provide raw materials with the highest mechanical properties and structural behavior. Manufacturing uses state-of-the-art firing techniques and production methods.


TERRART® ECO 22 HIGHLIGHTS

- COST-EFFICIENT** • Standard size allows for an economical production
- HIGH STRENGTH** • Tile spans of 5'-0" possible depending upon building specification criteria
- DURABLE** • Non-color fading, low-maintenance
- SUSTAINABLE** • High performance materials for a long lifetime expectancy
- LIGHTWEIGHT** • Tile weight approximately 7 lbs./ sq. ft.
- EASY AND FAST INSTALLATION** • Pre-punched aluminum carriers and tile clips for horizontal tile orientation
- CONCEALED FASTENERS** • Clips fasten behind tiles or in tile joints
- ECO-FRIENDLY** • No harmful chemicals, no fibers, no VOC ingredients, 100% recyclable


TYPICAL LAYOUTS




HORIZONTAL STACKED



HORIZONTAL RUNNING BOND



VERTICAL



DIAGONAL

STANDARD OPTIONS

STANDARD SYSTEM

TERRART® ECO 22 includes:


- Tiles
- Aluminum Carriers
- Tile Clips: (50 clips per bag)

Horizontal Tile Orientations:

Extruded Aluminum Clips

Vertical and Diagonal Tile Orientations:

Stainless Steel JTC-Clips
(not shown)




ALUMINUM CARRIERS

- Extruded Aluminum Carriers provided for all installation orientations
- Pre-punched for horizontal orientations
- Stock length [12 feet] aluminum hat shape carrier, black anodized, Class II: 6 pcs per bundle

STANDARD MODULE TILE SIZE

- 8" x 5'-0"
- 22mm Thickness
- 75 pcs per pallet





NBK's expertise in complex mixing techniques and traditional firing methods sets the standard for terracotta façade design. Color pricing varies by Group Number and includes our standard colors (Groups 1-3, plus 8.02-0). Colors shown are for representation only.

* Check with NBK North America for current in-stock status.

SYSTEM DETAILS

HORIZONTAL TILE ORIENTATION: EXTRUDED ALUMINUM TILE CLIPS



VERTICAL TILE ORIENTATION: STAINLESS STEEL JTC-CLIPS

